

CURRICULUM VITAE PROF. DANILA MOSCONE

EUROPEAN FORMAT

PERSONAL INFORMATION

Name, Surname Danila Moscone
Address [REDACTED]
House number, street name,
postcode, city, country
Telephone [REDACTED]
Fax [REDACTED]
E-mail danila.moscone@uniroma2.it
Website
Nationality Italian
Place and Date of birth Fondi (LT) Italy, 06/07/1952

WORK EXPERIENCE

Dates (from – to) Full Professor from 2006 to nowadays
Associate Professor from 2000 to 2005
Researcher from 1996 to 1999
Graduate technician from 1984
CNR annual fellowship holder in 1994 at the University of Groningen, (The Nederland)
[Add separate entries for each relevant post occupied, starting with the most recent.]
Name and address of employer Università di Roma Tor Vergata
Via O. Raimondo, 00173, Rome, Italy
Type of business or sector Academia
Occupation or position held Full Professor
Main activities and responsibilities Head of the Analytical Chemistry Group of the "Tor Vergata" University in Rome (Italy)

EDUCATION AND TRAINING

Chemistry Degree on 05/25/1983 at Università of Roma "La Sapienza" (5 years)

Classical A levels high school (5 years)



RESEARCH ACTIVITIES

Research sectors

Electrochemistry, Biosensors, Immobilization, Immunosensors, Microdialysis, Ultrafiltration, Flow cells, Miniaturization, Screen Printed Electrodes, Paper-based (bio)sensors

Books and Articles

35 chapters on books, 1 monograph, 188 papers on International and National scientific journals, 3 patents, 37 proceedings, 2 videos, more than 300 oral and poster presentations at scientific meetings, H-index 45, Cit. 5948 (SCOPUS, May 2019).


ADDITIONAL INFORMATION

The prof. Moscone's activity concerns the construction of different biosensors and its application in analytical matrices since thirty years. During this time, she improved her experience in the field of electrochemical sensors and flow systems coupled to biosensors. In particular, she is an expert in enzymes immobilization on polymer matrices and in sensors and biosensors miniaturization. For many years, she was involved in European projects on continuous and real-time "in vivo" measurement, developing new miniaturized biosensors for glucose and coupling for the first time biosensors with innovative sampling techniques such as microdialysis and ultrafiltration, both in clinical field and in foods analysis and quality control.

In recent years she worked in projects funded by the European Community, for the development of immunoassays and biosensors based on screen printed disposable electrodes, for the realization of single-use immunosensor for toxins (mycotoxins in milk and cereals, bacterial toxins and phycotoxins in foods) and bacteria (*Staphylococcus aureus*, *Salmonella*, etc.); for rapid and innovative analytical methods for the analysis and control of GMOs, and had contracts with private companies (Menarini for the realization of printed sensors for continuous monitoring of glucose). Other applications have been the realization of highly selective biosensors based on printed electrodes modified with Prussian Blue, biosensors for the determination of pesticides based on enzyme inhibition, realization of systems in flow for the determination of nitrates and nitrites and realization of potentiometric microsensors for pH, potassium, calcium, ammonium, nitrate, for the protection and preservation of cultural heritage. New projects underway are the development of immunosensor for the determination of antibodies and metabolites of clinical interest (IgA, IgE, lactate, ...) in biological matrices such as serum and saliva, of electrochemical biosensors based on DNA (eDNA) for the determination of protein and transcription factors and of sensors and biosensors modified with nanostructured material. Her more recent interests concern sensors modification with nanomaterials and realization of "all-in-one" paper-based electrochemical devices.

Between papers, the article entitled "Detection of carbamic and organophosphorus pesticides in water samples using cholinesterase biosensor based on Prussian Blue modified screen printed electrode", published in *Analytica Chimica Acta*, 2006, 580, 155-162 was a "Top 25 Hottest Articles" in the period October-December 2006. The paper entitled "A thionine-modified carbon paste amperometric biosensor for catechol and bisphenol A determination" published in *Biosensors and Bioelectronics* 2010, 25, 2003-2008, resulted in the top cited author in the 2010-2011 period.

She was invited to give plenary lectures at national and international conferences, and is tutor of numerous theses and dissertations on the topics covered. She actively collaborates with research groups both foreign and Italian (University of Lund, Sweden, University of Moscow, Russia, Kazan State University, Kazan, Russia; University of Mohammadia, Morocco, University of Bucharest, Romania, University of Molise, Campobasso; University of Tuscia, Viterbo, University of Florence, II University of Naples).



She is Editor of *Biosensors and Bioelectronics*, the principal international journal devoted to research, design, development and application of biosensors and bioelectronics, and Referee of international journals as Analytical Chemistry, Biosensors and Bioelectronics, Analytical and Bioanalytical Chemistry, *Analytica Chimica Acta*, *Talanta* et al.

It 'an active member of the Audit Committee of the Ministry of Education and Evaluation of national and international projects.

List of Publications
Prof. DANILA MOSCONE

Chapter on books:

- 1) M. Massi Benedetti, D. Moscone, G. Calabresi, P. G. Fabietti, D. Arena, S. Sozzi, P. Garzi, E. Bonifacio, S. Cianetti, M. Mascini
System for continuous monitoring of intermediary metabolites.
In: "*Advanced Models for the Therapy of Insulin-dependent Diabetes*", pg. 241-245.
Eds P. Brunetti and W. K. Waldhäus. Raven Press, New York, 1987
- 2) M. Mascini, D. Moscone, F. Mazzei
Pyruvate and lactate electrochemical sensor realized with immobilized enzymes for control in artificial pancreas.
In: "*Advanced Models for the Therapy of Insulin-dependent Diabetes*", pg. 247-253.
Eds P. Brunetti and W. K. Waldhäus. Raven Press, New York, 1987
- 3) M:Mascini, D. Moscone, G. Palleschi
Design and Applications of Biosensors in Medicine: Study on Artificial Pancreas.
In: "*Chemical Sensor Technology*" vol 1, pg. 221-236. Edited by T. Seyama, Kodanska ltd. Tokio, Japan, 1988.
- 4) M. Mascini, G. Palleschi, D. Moscone, L. Bernardi
Evaluation of glucose and lactate electrochemical biosensors in conjunction with potassium I.S.E. for continuous ex vivo blood measurement in athletes.
In: "*Methodology and Clinical Applications of Ion-Selective Electrodes*", pg. 207-217.
Eds. A.H.J. Maas, B. Buckley, A. Manzoni, R.F. Moran, O. Siggaard-Andersen, R. Sprokholt. Printed by Elinkwijk, Utrecht, The Netherlands, 1989.
- 5) M.Mascini, D. Moscone, G. Palleschi
Biosensor Applications of Continuous Monitoring in Clinical Chemistry
In: "*Bioinstrumentation: Research, Development and Application*" Chapter 45 pg. 1429-1460. Butterworths Publisher Boston, USA, 1990.
- 6) M. Mascini, D. Moscone
Electrochemical Biosensors: Application to Some Real Problems.
In: "*Advances in Biosensors*", Vol. 1 pg. 33-72. Edited by A.P.F. Turner. JAI Press Ltd, London, 1991.
- 7) G. Palleschi, M. Bernabei, P. Bertocchi, D. Compagnone, M. G. Lavagnini and D. Moscone
Enzyme Electrode Probes for Determination of Metabolites in Biological Fluids and in the Environment.
In: "*In Vivo Chemical Sensors. Recent Development*" pg. 79-86. Edited by S.J. Alcock and A.P.F. Turner, Cranfield Press, Bedford, UK, 1993.
- 8) D. Moscone, M.A. Desai, U. Ungerstedt, M. Mascini
Microdialysis and Biosensors.
In: "*In Vivo Chemical Sensors. Recent Development*" pg. 139-142. Edited by S.J.Alcock and A.P.F. Turner, Cranfield Press, Bedford, UK, 1993
- 9) A. Amine, D. Moscone and M. Mascini
Microdialysis Probe Coupled with Glucose Biosensor for In Vivo Monitoring: Study of Drift Phenomenon.
In: "*In Vivo Chemical Sensors. Recent Development*" pg. 143-149. Edited by S.J.

Alcock and A.P.F. Turner, Cranfield Press, Bedford, UK, 1993.

- 10) D. Moscone, M. Mascini
In Vivo Monitoring with Microdialysis Probe.
In: "Uses of Immobilized Biological Compounds", pg. 115-122. Edited by G.G. Guilbault and M. Mascini, Kluwer Academic Publishers, Dordrecht, The Netherlands, 1993.
- 11) M. Mascini, D. Moscone and M. Anichini
Biosensors for in vivo monitoring.
In: "Reviews on Analytical Chemistry", pg. 298-307. Edited by D. LittleJhon and D. Thorburn Burns, Published by The Royal Society of Chemistry, Cambridge, UK, 1994.
- 12) D. Moscone and M. Mascini
Optimized biosensors in Clinical Applications In: "Handbook of Biosensors and Electronic Nose: Medicine, Food, and the Environment", chapter 18, pg 409-434. Ed. by E. Kress-Rogers, ATI Sensor Applications Ltd., CRC Press, Ratingen/Homberg, Germany 1997.
- 13) Palleschi, G.; Compagnone, D.; Moscone, D.
Electrochemical biosensors: potential and application in the food industry.
In: Biotechnology in the Food Chain VTT Symposium, 177, pg. 141-160. (Copyright 2003 ACS) 1997.
- 14) D. Moscone, M. Mascini
Biosensors for in vivo applications
In: "Current Topics in Biophysics", vol. 6, pg.176-192. Editor P.T. Frangopol, Al.I. Cuza University Press, Iasi, Romania, 1997.
- 15) D. Compagnone, D. Moscone, G. Palleschi
Development and application of amperometric biosensors in food analysis
In: Recent Research Developments in Pure and Applied Chemistry, pg.73-86. S.G. Pandalai Editor, Transworld Research Network, Trivandrum, India, 1998.
- 16) L. Micheli, D. Moscone, S. Marini, S. di Stefano, G. Palleschi,
Development of disposable immunosensors for rapid assay of seafood toxin,
in Rapid Detection Assay for Food and Water, Ed. S.A. Clark, K.C. Thompson, C.W. Keevil, M.S. Smith, RSC, Cambridge (England), 2001, 190-193. ISBN 0-85404-779-4
- 17) Palleschi, G.; Compagnone, D.; Moscone, D.
Selective electrochemical biosensors for application in food quality control.
In: "Rapid Detection Assays for Food and Water" Special Publication - Royal Society of Chemistry, 272 pg. 194-201, 2001. ISBN 0-85404-779-4
- 18) G. Palleschi, D. Moscone, L. Micheli, D. Botta
Rapid detection of seafood toxins
In: "Safety and quality issues in fish processing" pg.142-160. Edited by H. Allan Bremner, CRC Press, Woodhead Publishing Limited, Cambridge, England, 2002.
- 19) Azize Amine, Laura Micheli, Danila Moscone, Giuseppe Palleschi
Rapid on-line analysis to ensure the safety of milk.
In: "Dairy processing, Improving quality", pg. 292-309. Edited by Gerrit Smit, CRC Press, Woodhead Publishing Limited, Cambridge, England, 2003.

- 20) Albertano P., Moscone D., Palleschi G., Hermosin B., Saiz-Jimenez C., Sanchez-Moral S., Hernandez-Marine M., Urzi C., Groth I., Schroeck V., Saarela M., Mattila-Sandholm T., Gallon J. R., Graziottin F., Bisconti F., Giuliani R.,
Cyanobacteria attack rocks (CATS): Control and preventive strategies to avoid damage caused by cyanobacteria and associated microorganisms in Roman Hypogean Monuments.
In: Saiz-Jimenez, C. (Ed.), *Molecular Biology and Cultural Heritage*, pp. 151-162, Swets & Zeitlinger, Lisse (NL), ISBN 90 5809 555 X. 2003
- 21) G. Palleschi, D. Moscone, L. Micheli
The rapid detection of toxins in food: a case study
In: "Rapid and on line instrumentation for food quality assurance", pg.116-135. Edited by Ibtisam E. Tothill, Woodhead Publishing Limited, Cambridge, England, 2003
- 22) D. Moscone
Coupling of microdialysis sampling with biosensing detection modes
In: "Biosensors and Modern Biospecific Analytical Techniques", (Ed. L. Gorton), Vol. XLIV, Comprehensive Analytical Chemistry, ch. 12, pp. 579-626. Ser. Ed. D. Barceló), Elsevier, Amsterdam, 2005
- 23) Piermarini S., Calvo-Quintana J., Bruno L., Albertano P., Moscone D., Palleschi G.
Importanza dei microsensori nella conservazione dei beni culturali.
In: C. Sabbioni, F. Persia, L. Castelletti (eds.), *Biologia e archeobiologia nei beni culturali: conoscenza, problematiche e casi di studio*, pp. 229-235, New Press s.n.c., Como, 2006
ISBN88-85680-23-2.
- 24) Francesco Ricci, Danila Moscone, Giuseppe Palleschi
Mediated Enzyme Screen Printed Electrode Probes for Clinical, Environmental and Food Analysis
In: D. BARCELO'. *Comprehensive Analytical Chemistry*. (vol. 49, pp. 559-584). Elsevier, Amsterdam, 2007
- 25) Francesco Ricci, Danila Moscone, Giuseppe Palleschi
Preparation of Prussian blue-modified screen-printed electrodes via a chemical deposition for mass production of stable hydrogen peroxide sensors.
In: D. BARCELO'. *Comprehensive Analytical Chemistry*. (vol. 49, pp. E119-E124). (2007). Elsevier.
- 26) D.G. Mita, A. Attanasio, N. Diano, V. Grano, U. Bencivenga, S. Rossi, P. Canciglia, L. Mita, M. Portaccio, F. Arduini, A. Amine and D. Moscone
Bioremediation and biodetermination of Bisphenol A (BPA) in aqueous solutions. In *The Endocrine Disruptors*, 2007, pg. 159-179, Maria Marino and Damiano Gustavo Mita Eds. Transworld Research Network, Kerala, India.
- 27) P. Albertano, R. Congestri, L. Micheli, D. Moscone, G. Palleschi
Development of sensors to trace toxins from Dinoflagellates and other Algae to seafood. In *Algal Toxins: Nature, Occurrence, Effect and Detection*, pg. 301-310, V. Evangelista, L. Barsanti, A.M. Frassanito, V. Passarelli, P. Gualtieri Eds, Springer in cooperation with NATO, 2008-Dordrecht, The-Netherlands. ISBN: 978-1-4020-8479-9
- 28) Fabiana Arduini, Aziz Amine, Danila Moscone, Giuseppe Palleschi
Biosensors for Quality and Safety Control of Olive Oil: A Review. In: *Olive Oil and Health*. Editors: James D. Corrigan
Nova Science Publishers, 2010, ISBN: 978-1-61761-170-4

- 29) Danila Moscone, Fabiana Arduini, Aziz Amine
A Rapid Enzymatic Method for Aflatoxin B Detection
In: *Microbial Toxins*, Otto Holst Ed. Humana Press Inc, (2011) Volume 739, Part 3, 217-235, DOI: 10.1007/978-1-61779-102-4_20, ISBN 978-1-61779-101-7 (Print) 978-1-61779-102-4 (Online)
- 30) D. Moscone, L. Micheli, G. Palleschi
Biosensors for non invasive measurements
In: *Biosensors for medical applications*, Edited by Seamus Higson, Woodhead Publishing, 2012, pg. 263-300, ISBN 978-1-84569-935-2 (print), 978-0-85709-718-7 (online)
- 31) Chiara Zanardi, Laura Pigani, Renato Seeber, Fabio Terzi, Fabiana Arduini, Stefano Cinti, Danila Moscone and Giuseppe Palleschi
Carbon Black/Gold Nanoparticles Composite for Efficient Amperometric Sensors
In: Compagnone D., Baldini F., Di Natale C., Betta G., Siciliano P. (eds) Sensors. Lecture Notes in Electrical Engineering, vol 319. Springer, 2015, pag. 159-163, DOI: 10.1007/978-3-319-09617-9_28
- 32) Fabiana Arduini, Viviana Scognamiglio Danila Moscone Giuseppe Palleschi
Electrochemical Biosensors for Chemical Warfare Agents
In: *Biosensors for Security and Bioterrorism Application*, Part of the series Advanced Sciences and Technologies for Security Applications, 2016, pp 115-139, Dimitrios P. Nikolelis, Georgia-Paraskevi Nikoleli Editors, Springer International Publishing, Switzerland. DOI: 10.1007/978-3-319-28926-7_6; Print ISBN 978-3-319-28924-3
- 33) A. Antonacci, F. Arduini, D. Moscone, G. Palleschi and V. Scognamiglio
Commercially Available (Bio)sensors in the Agrifood Sector
In: *Comprehensive Analytical Chemistry*, Vol. 74. Pg. 315-340; <http://dx.doi.org/10.1016/bs.coac.2016.04.015> Copyright © 2016 Elsevier B.V.
- 34) Stefano Cinti, Viviana Scognamiglio, Danila Moscone, Fabiana Arduini
Efforts, Challenges, And Future Perspectives Of Graphene-Based (Bio)Sensors For Biomedical Applications
In: *Graphene Bioelectronics*, Advanced Nanomaterials Series, Tiwari, Elsevier, 2017, ISBN: 978-0-12-813349-1
- 35) Fabiana Arduini, Stefano Cinti, Viviana Scognamiglio and Danila Moscone,
Paper-Based Electrochemical Devices in Biomedical Field: Recent Advances and Perspectives
In: *Comprehensive Analytical Chemistry*, Past, Present and Future Challenges of Biosensors and Bioanalytical Tools in Analytical Chemistry. Vol. 77. Pg. 385-413; ISBN: 978-0-444-63946-2 Copyright © 2017 Elsevier B.V
- 36)

MONOGRAFIE

- 1) G. Palleschi, D. Moscone, D. Compagnone
Biosensori elettrochimici in medicina. Recenti applicazioni
Caleidoscopio, Medical System Ed. Genova, 1997

PAPERS ON INTERNATIONAL JOURNALS:

1. M. Mascini, D. Moscone, G. Palleschi
A Lactate electrode with lactate oxidase immobilized on nylon net for blood serum samples in flow systems.
Anal. Chim. Acta 157, (1984) 45-51
2. M. Mascini, S. Fortunati, D. Moscone, G. Palleschi
Ammonia abatement in flow system for creatinine determination in clinical samples.
Anal. Chim. Acta 171, (1985) 175-184
3. M. Mascini, S. Fortunati, D. Moscone, G. Palleschi, M. Massi, P. Fabietti
An L-lactate sensor with immobilized enzyme for use in vivo studies with an endocrine artificial pancreas.
Clin. Chem. 31, (1985) 451-453
4. M. Mascini, D. Moscone
Amperometric acetylcholine and choline sensors with immobilized enzymes.
Anal. Chim. Acta 179, (1986) 439-444
5. M. Mascini, F. Mazzei, D. Moscone, G. Calabrese, M. Massi- Benedetti
Lactate and Pyruvate Electrochemical Biosensors for Whole Blood in Extracorporeal Experiments with an Endocrine Artificial Pancreas.
Clin. Chem. 33, (1987) 591-593
6. M. Mascini, D. Moscone, G. Palleschi, R. Pilloton
In-line determination of Metabolites and Milk Components with electrochemical Biosensors.
Anal. Chim. Acta 213, (1988) 101-111.
7. D. Moscone, M. Mascini
Determination of Superoxide Dismutase activity with an electrochemical oxygen probe.
Anal. Chim. Acta 211, (1988) 195-204
8. M. Grilli Caiola, A. Canini and D. Moscone
Oxygen concentration, nitrogenase activity and heterocyst frequency in the leaf cavities of Azolla filiculoides Lam
FEMS Microbiology Letters 59 (1989) 283-288.
9. M. Mascini, M. Pizzichini, D. Moscone, R. Pilloton
On-line determination of glucose produced by hydrolysis of cellobiose realized with cellular bioreactor.
Biotechnology and Bioengineering, 34 (1989) 262-264.
10. M. Mascini G. Palleschi, D. Moscone and L. Bernardi
Extracorporeal determination of glucose, lactate and potassium with electrochemical biosensors
Journal of Pharmaceutical & Biomedical Analysis, 7 (12), (1989) 1377-1383.

11. G. Palleschi, M.G. Lavagnini, D. Moscone, R. Pilloton, D. D' Ottavio, M.E. Evangelisti
Determination of serum cholinesterase activity and dibucaine numbers by an amperometric choline sensor.
Biosensor 5 (1990) 27-35.
12. G. Palleschi, D. Moscone, M. Mascini
Electrochemical Biosensors For Extracorporeal Measurements
Biochemical Society Transactions 19 (1), (1991), 5-9.
13. D. Moscone, M. Pasini and M. Mascini
Subcutaneous microdialysis probe coupled with glucose biosensor for in vivo continuous monitoring
Talanta, 39 (1992), 1039-44.
14. Mascini M., Moscone D., Bernardi L.
In vivo continuous monitoring of glucose by microdialysis and a glucose biosensor
Sensors and Actuators, 6 (1-3), (1992) 143-145.
15. C. Caliendo, E. Verona, A. D'Amico, M. Mascini and D. Moscone
Acoustic Love-wave sensor for K⁺ concentration in H₂O solutions
Sensors and Actuators B, 7 (1992) 602-605
16. G. Palleschi, M. G. Lavagnini, D. Compagnone, P. Bertocchi and D. Moscone
Flow monitoring of Glutamate and Aspartate in Foods and Pharmaceutical Products with Immobilized Bienzyme Electrochemical Cells.
Electroanalysis, 4, (1992) 851-857
17. D. Moscone and M. Mascini
Microdialysis and Glucose Biosensor for in vivo monitoring
Annales de Biologie Clinique, 50 (1992) 323-327
18. M. G. Lavagnini, D. Moscone, G. Palleschi, D. Compagnone, C. Cremisini
Amperometric Lysine Bioprobe Analysis in Feeds
Talanta, 40, (1993) 1301-1306
19. D. Moscone, M. Mascini
Microdialysis coupled with glucose biosensors for subcutaneous monitoring
Analisis, 21/2, (1993) M40-M42
20. G. Palleschi, G. Volpe, D. Compagnone, M.G. Lavagnini, D. Moscone and A. Amine
Amperometric Alanine Electrode
Analytical Letters, 26 (1993) 1301-1319
21. D. Moscone, H. Yamanaka and M. Mascini
Biosensors for Glucose Needle-Shaped for *in vivo* Monitoring
Russian Journal of Electrochemistry, 29 (1993) 1522-1526.
22. G. Palleschi, P. Bertocchi, D. Compagnone, M.G. Lavagnini, D. Moscone and G. Volpe
Electrochemical Biocells for Continuous Monitoring of Aminoacids in Food
Life Chemistry Reports, 11 (1994) 419-431
23. M. Bugli, D. Moscone, P. Rodinò, G. Palleschi
Construction and evaluation of a needle glucose probe for *in vivo* monitoring
Clinical Chemistry Enzyme Com, 7 (1995) 17-28

24. G. Volpe, D. Moscone, D. Compagnone, G. Palleschi
In vivo continuous monitoring of L-lactate coupling subcutaneous microdialysis and electrochemical biocell.
Sensors and Actuators B, 24-25, (1995) 138-141.
25. O. Elekes, D. Moscone, K. Venema and J. Korf
Bienzyme reactor for electrochemical detection of low concentrations of uric acid and glucose
Clinica Chimica Acta, 239 (1995) 153-165
26. D. Moscone, K. Venema, J. Korf
Ultrafiltrate sampling device for continuous monitoring
Medical & Biological Engineering & Computing, 34 (1996) 290-294
27. M. Cheregi, C. Matachescu, D. Moscone and A. Ciucu
Glucose and lactate biosensors coupled with microdialysis probe for continuous monitoring
South. Braz. J. Chem., 4, (1996) 9-17.
28. G. Paradossi, E. Chiessi, F. Cavalieri, D. Moscone and V. Crescenzi
Networks based on Chitosan and Oxidized Cyclodextrin. Part II. Structural and catalytic features of a copper (II) loaded network.
Polymer Gels and Networks, 5 (1997) 525-540.
29. E. Marconi, C. Baldino, M.C. Messia, R. Cubadda, D. Moscone and G. Palleschi
Determination of Damaged Starch in Wheat Flour using an electrochemical bienzyme maltose probe.
Analytical Letters, 31(5), (1998) 733-749.
30. D. Moscone, R.A. Bernardo, E. Marconi, A. Amine and G. Palleschi
Rapid determination of lactulose in milk by microdialysis and biosensors.
Analyst, 124, (1999) 325-329
31. A. Amine, D. Moscone and G. Palleschi
Rapid determination of lactulose in milk using Seliwanoff's Reaction
Analytical Letters, 33 (2000) 125-135
32. A. Amine, D. Moscone, R.A. Bernardo, E. Marconi, and G. Palleschi
A new enzymatic spectrophotometric assay for the determination of lactulose in milk
Anal. Chim. Acta, 406 (2000) 217-224
33. D. Moscone, A. Sbrilli, G. Palleschi, V. Carunchio
Fast Amperometric Determination of Enzymatic activity of Glutaminase
Analytical Letters, 33 (4) (2000) 615-627
34. P. Albertano, L. Bruno, D. D'Ottavi, D. Moscone & G. Palleschi
Effect of photosynthesis on pH variation in cyanobacterial biofilms from Roman catacombs
J. of Applied Phycology, 12 (2000) 379-384
35. A. J. Killard, L. Micheli, K. Grennan, M. Franek, V. Kolar, D. Moscone, I. Palchetti & M. R. Smyth
Amperometric separation-free immunosensor for real-time environmental monitoring
Analytica Chimica Acta, 427:2 (2001) 173-180
36. D. Compagnone, G. Isoldi, D. Moscone, G. Palleschi,
Amperometric Detection of Biogenic Amines in Cheese Using Immobilised Diamine Oxidase
Analytical Letters, 34 (6) (2001) 841-854

37. D. Moscone, D. D'Ottavi, D. Compagnone, G. Palleschi and A. Amine
 Construction and analytical characterisation of Prussian Blue based carbon paste electrodes and their assembling as oxidase enzyme sensors
Analytical Chemistry, 73 (2001) 2529-2535
38. M. Badea, A. Amine, G. Palleschi, D. Moscone, G. Volpe and A. Curulli.
 New Electrochemical Sensors for the Detection of Nitrites and Nitrates.
J. of Electroanal. Chem, 509 (2001) 66-72
39. Badea, M.; Curulli, A.; Danet, A.; Moscone, D.; Palleschi, G.
 New electrochemical sensors used in flow injection analysis for nitrite/nitrate determination
UPB Scientific Bulletin, Series B: Chemistry and Materials Science (2001), 63 (3), 329-338.
40. L.V. Lukakova, E.A. Kotel'nikova, D. D'Ottavi, E.A. Shkerin, E.E. Karyakina, D. Moscone, G. Palleschi, A. Curulli, A.A. Karyakin
 Electrosynthesis of poly-*o*-diaminobenzene on the Prussian Blue modified electrodes for improvement of hydrogen peroxide transducer characteristics.
Bioelectrochemistry, 55 (2002) 145-148
41. L. Micheli, S. Di Stefano, D. Moscone, G. Palleschi, S. Marini, M. Coletta, R. Draisici, F. Delli Quadri
 Production of antibodies and development of highly sensitive immunoassay for Saxitoxin analysis
Anal Bioanal Chem 373 (2002) 678-684
42. F. Ricci, A. Amine, G. Palleschi and D. Moscone
 Prussian Blue based screen printed biosensors with improved characteristics of long-term lifetime and pH stability
Biosensors and Bioelectronics, 18 (2003) 165-174
43. M. Esti, G. Volpe, D. Compagnone, G. Mariotti, D. Moscone, and G. Palleschi
 Red Winemaking: Alcoholic Fermentation Monitoring by Electrochemical Biosensors in Industrial Scale Plants
American Journal of Enology and Viticulture, 54 (2003) 39-45
44. F. Ricci, A. Amine, C. S. Tuta, A. A. Ciucu, F. Lucarelli, G. Palleschi, D. Moscone
 Prussian Blue and enzyme bulk modified Screen Printed Electrodes for hydrogen peroxide and glucose determination with improved characteristic of storage and operational stability
Analytica Chimica Acta 485 (2003) 111-120
45. A. Poscia, M. Mascini, D. Moscone, M. Luzzana, G. Caramenti, P. Cremonesi , F. Valgimigli, C. Bongiovanni, M. Varalli
 A microdialysis technique for continuous subcutaneous glucose monitoring in diabetic patients (part 1)
Biosensors and Bioelectronics 18 (2003) 891-898
46. E.A. Ulasova, L. Micheli, L. Vasii, D. Moscone, G. Palleschi, S.V. Vdovichev, A.V. Zorin, S.A. Krutovertsev, E.E. Karyakina, A.A. Karyakin
 Flow-injection analysis of residual glucose in wines using a semiautomatic analyzer equipped with a Prussian Blue based biosensor
Electroanalysis, 15 (2003) N5-6, 447-451
47. Lilia V. Lukachova, Elena A. Kotel'nikova, Daniele D'Ottavi, Egor A. Shkerin, Elena E. Karyakina, Danila Moscone^b, Giuseppe Palleschi, Antonella Curulli, Arkady A. Karyakin
 Non-Conducting Polymers on Prussian Blue Modified Electrodes: Improvement of Selectivity and Stability of the Advanced H₂O₂ Transducer
IEEE, Sensors Journal, 3 (2003) 326-332

48. F. Ricci, A. Amine, D. Moscone, G.e Palleschi.
Prussian Blue Modified Carbon Nanotube Paste Electrodes: A Comparative Study And A Biochemical Application
Analytical Letters 36 (2003) 1921-1938
49. F. Ricci, C. Gonçalves, A. Amine, L. Gorton, G. Palleschi, D. Moscone
Electroanalytical Study of Prussian Blue Modified Glassy Carbon Paste Electrodes
Electroanalysis, 15 (2003) 1204-1211
50. A. Ivanov, G. Evtugyn, H. Budnikov, F. Ricci, D. Moscone, G. Palleschi
Cholinesterase sensors based on screen-printed electrodes for detection of organophosphorus and carbamic pesticides
Analytical and Bioanalytical Chemistry 377 (2003) 624 - 631
51. E. Marconi, A. Amine, D. Moscone, G. Palleschi F. Stocchi, E. Bassi, F. Vernazza
Heat-treated milk differentiation by a sensitive lactulose assay
Food Chemistry 84 (2004) 447-450
52. F. Ricci, F. Arduini, A. Amine, L. Gorton, D. Moscone, G. Palleschi
Characterisation of Prussian Blue modified screen printed electrodes for thiol detection.
J. of Electroanal. Chem., 563, Issue 2 (2004) 229-237
53. J. Calvo Quintana, L. Idrissi, P. Albertano, G. Palleschi D. Moscone A. Amine, M. El Rhazi
Investigation of amperometric detection of phosphate. Application in seawater and cyanobacterial biofilm samples
Talanta 63 (2004) 567-574
54. M. Esti, G. Volpe, L. Micheli, E. Delibato, D. Compagnone, D. Moscone, G. Palleschi
Electrochemical biosensors for monitoring malolactic fermentation in red wine using two strains of *Oenococcus oeni*
Analytica Chimica Acta, 513, (2004), 357-364
55. L. Micheli, A. Radoi, R. Guerrina, R. Massaud, P. Bertucci, C. Bala, D. Moscone, G. Palleschi
Disposable Immunosensor for the Determination of Domoic Acid in Shellfish
Biosensors and Bioelectronics, 20 (2004) 190–196
56. M. Badea, A. Amine, M. Benzine, A. Curulli, D. Moscone, A. Lupu, G. Volpe and G. Palleschi
An Electrochemical Procedure for Nitrite Determination in Cured Meat in Presence of Ascorbic Acid
Microchimica Acta , 147, (2004) 51–58
57. M. Badea, L.Micheli, M.C. Messia, T. Candigliota, E. Marconi, T. Mottram, M. Velasco Garcia, Moscone D., Palleschi G.
Aflatoxin M1 determination in raw milk using a flow-injection immunoassay system.
Analytica Chimica Acta. 520 (2004)141-148
58. Poscia A., Messeri D, Moscone D., Ricci F., Valgimigli F.
A novel continuous subcutaneous lactate monitoring system
Biosensors and Bioelectronics, 20 (2005) 2244-2250
59. F. Ricci, D. Moscone, C.S. Tuta, G. Palleschi, A. Amine, A. Poschia, F. Valgimigli, D. Messeri
Novel planar glucose biosensors for continuous monitoring use
Biosensors and Bioelectronics, 20 (2005) 1993-2000
60. Micheli L., Grecco R., Badea M., Moscone D., Palleschi P.
An electrochemical immunosensor for aflatoxin M1 determination in milk using screen-printing electrodes.
Biosensors and Bioelectronics 21 (2005) 588–596

61. E. Delibato; M. Bancone; G. Volpe; D. De Medici; D. Moscone; G. Palleschi
Development and Comparative Evaluation of Different Screening Methods for Detection of
Staphylococcus aureus
Anal. Letters, 38 (2005) 1569–1586
62. E. Suprun, G. Evtugyn, H. Budnikov, F. Ricci, D. Moscone, G. Palleschi
Acetylcholinesterase Sensor Based on Screen-Printed Carbon Electrode Modified with Prussian Blue
Anal. Bianal. Chemistr, 383 (2005) 597–604
63. F. Arduini, F. Ricci, I. Bourais, A. Amine, D. Moscone, G. Palleschi.
Extraction and detection of pesticides by cholinesterase inhibition in a two-phase system: a strategy to
avoid heavy metal interference.
Anal. Letters 38 (2005) 703–1719
64. F. Ricci, F. Arduini, C. S. Tuta, U. Sozzo, D. Moscone, A. Amine, G. Palleschi
Glutathione amperometric detection based on a thiol–disulfide exchange reaction
Analytica Chimica Acta, 558 (2006) 164–170
65. G. Volpe, N. H. Ammida, D. Moscone, L. Occhipinti, G. Palleschi
Development of an Immunomagnetic Electrochemical Sensor for Detection of Bt-Cry 1Ab/Cry1Ac
Proteins in Genetically Modified Corn Samples.
Anal. Letters, 39, (2006) 1599–1609
66. N. H. S. Ammida, Laura Micheli, S. Piermarini, D. Moscone, G. Palleschi
Detection of Aflatoxin B₁ in Barley: Comparative Study of Immunosensor and HPLC
Anal. Letters 39, (2006) 1559–1572
67. E. Delibato, G. Volpe, D. Stangalini, D. De Medici, D. Moscone and G. Palleschi
Development of Sybr-Green Real-Time PCR and a Multichannel Electrochemical Immunosensor for
Specific Detection of *Salmonella Enterica*
Anal. Letters 39, (2006) 1611–1625
68. I. Bourais, A. Amine, D. Moscone, G. Palleschi
Investigation of glycated protein assay for assessing heat treatment effect in food samples and protein–
sugar model.
Food Chemistry 96 (2006) 485–490
69. Arduini, Fabiana; Ricci, Francesco; Tuta, Catalin S.; Moscone, Danila; Amine, Aziz; Palleschi,
Giuseppe
Detection of carbamic and organophosphorous pesticides in water samples using a cholinesterase
biosensor based on Prussian Blue-modified screen-printed electrodes
Analytica Chimica Acta 580 (2006) pp. 155-162
70. Volpe, G.; Fares, G.; delli Quadri, F.; Draisici, R.; Ferretti, G.; Marchiafava, C.; Moscone, D.; et. al.
A disposable immunosensor for detection of 17 β -estradiol in non-extracted bovine serum
Analytica Chimica Acta Volume: 572 (2006) 11-16
71. Bourais, Ilhame; Amine, Aziz; Venanzi, Mariano; Micheli, Laura; Moscone, Danila; Palleschi,
Giuseppe
Development and Application of a Two-Phase Clean-Up System in Food Samples Prior to
Fluorescence Analysis of Aflatoxins
Microchimica Acta 153 (2006) 101 – 108
72. S. Piermarini; G. Volpe; F. Ricci; L. Micheli, D. Moscone; G. Palleschi; M. Führer; R. Krska; S.
Baumgartner
Rapid Screening Electrochemical Methods for Aflatoxin B₁ and Type-A Trichothecenes: A Preliminary
Study
Analytical Letters, 40, (2007) , 1333 – 1346

73. Ricci F, Caprio F, Poscia A, Valgimigli F, Messeri D, Lepori E, Dall'Oglio G, Palleschi G, Moscone D. Toward continuous glucose monitoring with planar modified biosensors and microdialysis Study of temperature, oxygen dependence and in vivo experiment.
Biosensors and Bioelectronics 22 (2007):2032-9
74. S. Piermarini, L. Micheli, N.H.S. Ammida, G. Palleschi, D. Moscone
Electrochemical immunosensor array using a 96-well screen-printed microplate for aflatoxin B₁ detection
Biosensors and Bioelectronics, 22 (2007) 1434–1440
75. V. Biagiotti, F. Valentini, D. Moscone, G. Palleschi
Synthesis and characterization of polymeric films and nanotubule nets used to assemble selective sensors for nitrite detection in drinking water
Sensors and Actuators, 122 (2007), 236-242
76. F. Ricci, A. Amine, D. Moscone, G. Palleschi
A probe for NADH and H₂O₂ amperometric detection at low applied potential for oxidase and dehydrogenase based biosensor applications
Biosensors and Bioelectronics 22 (2007) 854-62
77. F. Arduini, I. Errico, A. Amine, L. Micheli, G. Palleschi, and D Moscone
Enzymatic Spectrophotometric Method for Aflatoxin B Detection Based on Acetylcholinesterase Inhibition
Anal. Chem. 79 (2007) 3409-3415
78. D.G. Mita, A. Attanasio, F. Arduini, N. Diano, V. Grano, U. Bencivenga, S. Rossi, A. Amine and D. Moscone
Enzymatic determination of BPA by means of tyrosinase immobilized on different carbon carriers
Biosensors and Bioelectronics, 23 (2007) 60-65,
79. F. Arduini, A. Amine, D. Moscone & Francesco Ricci & Giuseppe Palleschi
Fast, sensitive and cost-effective detection of nerve agents in the gas phase using a portable instrument and an electrochemical biosensor
Anal Bioanal Chem 388 (2007) 1049–1057
80. F. Ricci, D. Moscone, G. Palleschi
Ex-vivo continuous glucose monitoring with microdialysis technique: the example of GlucoDay®
IEEE Sensors Journal, 8, (2008) 63 - 70
81. Radoi, A., Compagnone, D. Valcarcel, M.A., Placidi, P., Materazzi, S., Moscone, D., Palleschi, G.
Detection of NADH via electrocatalytic oxidation at single-walled carbon nanotubes modified with Variamine blue
Electrochimica Acta, 53 (5), (2008) 2161-2169
82. M. L. Antonelli, F. Arduini, A. Laganà, D. Moscone, V. Siliprandi
Construction, assembling and application of a Trehalase-GOD enzyme electrode system
Biosensors and Bioelectronics, 24 (2009) 1382-1388
83. S. Piermarini, G. Volpe, L. Micheli, Moscone D., G. Palleschi.
An ELIME-array for detection of aflatoxin B1 in corn samples.
Food Chemistry, 20; (2009) 371-375
84. I. Ben Rejeb, F. Arduini, A. Arvinte, A. Amine, D. Moscone, M. Gargouri, G. Palleschi
Development of a biosensor for AFB₁ detection in olive oil samples
Biosensors and Bioelectronics 24 (2009) 1962–1968

85. G. Volpe, E. Cotroneo, D. Moscone, L. Croci, L. Cozzi, G. Ciccaglioni, and G. Palleschi
A bi-enzyme electrochemical probe for flow injection analysis of okadaic acid based on PP2A inhibition.
Analytical Biochemistry, **385** (2009) 50–56
86. S. Piermarini, G. Volpe, L. Micheli, D. Moscone, and G. Palleschi
An ELIME-array for detection of aflatoxin B₁ in corn samples
Food Control, **20** (2009) 371–375
87. F. Arduini, A. Cassisi; A. Amine; F. Ricci; D. Moscone; G. Palleschi
Electrocatalytic oxidation of thiocholine at chemically modified cobalt hexacyanoferrate screen-printed electrodes
Journal of Electroanalytical Chemistry **626** (2009) 66-74
88. F. Ricci, N. Zari, F. Caprio, S. Recine, A. Amine, D. Moscone, G. Palleschi, K. W. Plaxco
Surface chemistry effects on the performance of an electrochemical DNA sensor
Bioelectrochemistry, **76** (2009) 208-213
89. F. Ricci, F. Pino, M. Abagnale, M. C. Messia, E. Marconi, G. Volpe, D. Moscone, G. Palleschi
Direct electrochemical detection of trichothecenes in wheat samples using a 96-well electrochemical plate coupled with microwave hydrolysis
World Mycotoxin Journal **2** (2009) 239-245
90. JM Legramante, F Valentini, A Magrini, G Palleschi, S Sacco, I Iavicoli, M Pallante, D Moscone, A Galante, E Bergamaschi, A Bergamaschi and A Pietroistu
Cardiac autonomic regulation after lung exposure to carbon nanotubes
Human & Experimental Toxicology **28** (2009) 369-75
91. F. Arduini; A. Amine; D. Moscone; G. Palleschi
Reversible Enzyme Inhibition-Based Biosensors: Applications and Analytical Improvement Through Diagnostic Inhibition
Analytical Letters, **42** (2009) 1258-1293
92. E. Delibato, G. Volpe, D. Romanazzo, D. De Medici, L. Toti, D.Moscone, G. Palleschi
Development and Application of an Electrochemical Plate Coupled with Immunomagnetic Beads (ELIME) Array for *Salmonella enterica* Detection in Meat Samples
J. Agric. Food Chem. **2009**, *57*, 7200–7204
93. Laura Micheli; Daniela Neagu; Serenella Perrino; Giuseppe Palleschi; Danila Moscone
Aflatoxin M1 determination and stability study in milk samples using a screen printed 96-well electrochemical microplate
International Dairy Journal, **19** (2009) 753–758
94. D. Neagu, A. Capodilupo, A. Vilkanauskyte, L. Micheli, G. Palleschi, and D. Moscone
AFB1-AP Conjugate for Enzyme Immunoassay of Aflatoxin B1 in Corn Samples
Analytical Letters, **42** (2009) 1170–1186,
95. F. Arduini, A. Amine, C. Majorani, F.D. Giorgio, D.D. Felicis, F. Cataldo, D. Moscone, G. Palleschi,
High performance electrochemical sensor based on modified screen-printed electrodes with costeffective dispersion of nanostructured carbon black
Electrochemistry Communications **12** (2010) 346–350
96. F. Ricci, G. Adornetto, D. Moscone. K.W. Plaxco, D. Palleschi
Quantitative, reagentless, single step electrochemical detection of anti-DNA antibodies directly in blood serum
Chem. Commun **46** (2010). 1742-1744

97. M. Portaccio; D. Di Tuoro; F. Arduini; M. Lepore; D.G. Mita; N. Diano; L. Mita; D. Moscone
A thionine-modified carbon paste amperometric biosensor for catechol and bisphenol A determination
Biosensors and Bioelectronics, 25 (2010) 2003-2008
98. F. Arduini, F. Di Giorgio, A. Amine, F. Cataldo, D. Moscone, G. Palleschi
Electroanalytical characterization of carbon black nanomaterial paste electrode. Development of highly sensitive tyrosinase biosensor for catechol detection.
Analytical Letters 43 (2010) 1688-1702
99. F. Arduini, A. Amine, D. Moscone, G. Palleschi
Biosensors based on cholinesterase inhibition for insecticides, nerve agents and aflatoxin B₁ detection
Microchimica Acta, 170 (2010) 193–214
100. D. Romanazzo, F. Ricci, G. Volpe, C. Elliott, S. Vesco, K. Kroeger, D. Moscone, J. Stroka, H. Van Egmond, M. Vehniänen, G. Palleschi
Development of a recombinant Fab-fragment based electrochemical immunosensor array for deoxynivalenol detection in food samples.
Biosensors and Bioelectronics 25 (2010) 2615-2621
101. S. Piermarini, G. Volpe, R. Federico, D. Moscone, G. Palleschi
Detection of biogenic amines in human saliva using a screen-printed biosensor
Analytical Letters 43 (2010) 1310-1316
102. Radoi, A., Moscone, D., Palleschi, G.
Sensing the lactic acid in probiotic yogurts using an l-lactate biosensor coupled with a microdialysis fiber inserted in a flow analysis system
Analytical Letters 43 (2010) 1301-1309
103. A. Patterson, F. Caprio, A. Vallée-Bélisle, D. Moscone, K. W. Plaxco, G. Palleschi, and F. Ricci
Using Triplex Forming Oligonucleotide probes for the reagentless, electrochemical detection of double-stranded DNA
Anal. Chem., 82 (2010), 9109–9115
104. F. Arduini, J. Quintana Calvo, A. Amine, G. Palleschi, D. Moscone
Bismuth-Modified Electrodes for Lead Detection
Trends in Analytical Chemistry. 29 (2010) 1295-1304
105. D. Sordi, F. Arduini, V. Conte, D. Moscone, G. Palleschi
Real Time Monitoring of Hydrogen Peroxide Consumption in an Oxidation Reaction in Molecular Solvent and Ionic Liquids by Hydrogen Peroxide Electrochemical Sensor
ChemSusChem 4 (2011), 792-796 DOI: 10.1002/cssc.201000386 ; WOS:000292214000013; 2-s2.0-79958802328
106. Arduini, F.; Majorani, C.; Amine, A.; Moscone, D.; Palleschi, G.
Hg²⁺ detection by measuring thiol groups with a highly sensitive screen-printed electrode modified with a nanostructured carbon black film
Electrochimica Acta, 56 (2011) (11), 4209-4215 DOI: 10.1016/j.electacta.2011.01.094 ;
WOS:000290692700065; 2-s2.0-79954568547
107. A.N.Ivanov, R.R.Younusov, G.A.Evtugyn' G.Palleschi, F.Arduini, D. Moscone
Acetylcholinesterase biosensor based on Single-Walled Carbon Nanotubes – Co-Phtalocyanine for Organophosphorus Pesticide and Aflatoxin B₁ detection.
Talanta 85 (2011) 216–221 DOI: 10.1016/j.talanta.2011.03.045; WOS:000292848900029; 2-s2.0-79958162191

108. Moscone, D., Arduini, F., Amine, A.
A rapid enzymatic method for aflatoxin B detection.
Methods in molecular biology (Clifton, N.J.) 739, (2011) 217-235 DOI:10.1007/978-1-61779-102-4_20
PubMed ID:21567332; 2-s2.0-80052522163
109. D. Di Tuoro, M. Portaccio, M. Lepore, A. Vitiello, F. Arduini, D. Moscone, U.Bencivenga and D.G. Mita
An acetylcholinesterase biosensor for determination of low concentrations of Paraoxon and Dichlorvos.
New Biotechnology 29 (2011) 132-138 DOI: 10.1016/j.nbt.2011.04.011; WOS:000297877200017; 2-s2.0-82755187240
110. J. Calvo Quintana; A. Amine; F. Punzo; G. Li Destri; C. Bianchini; D. Zane; A. Curulli; G. Palleschi; D. Moscone
A comparative study of bismuth-modified screen-printed electrode for lead detection (part one)
Analitica Chimica Acta 707 (2011) 171-177 DOI: 10.1016/j.aca.2011.08.052 ;
WOS:000297141800022
111. F.Arduini, D. Neagu, S. Dall'Oglio, D. Moscone, G. Palleschi
Towards a portable prototype based on electrochemical cholinesterase biosensor to be assembled to soldier overall for nerve agent detection
Electroanalysis, Volume 24 (2012) 581-590 DOI: 10.1002/elan.201100540;
WOS:000300931000016; 2-s2.0-84857717157
112. G. Adornetto, G. Volpe, A. De Stefano, S. Martini, G. Gallucci, A. Manzoni, S. Bernardini, M. Mascini, D. Moscone.
An ELIME assay for the rapid diagnosis of coeliac disease
Analytical and Bioanalytical Chemistry, Volume 403, 4 (2012), 1191-1194, DOI: 10.1007/s00216-011-5702-z ; WOS:000303410600029; 2-s2.0-84861233309
113. F.Arduini, F. Di Nardo, A. Amine, L. Micheli, G. Palleschi, D. Moscone
Carbon black-modified screen-printed electrodes as electroanalytical tools
Electroanalysis, 24 (4) (2012) 743-751 DOI: 10.1002/elan.201100561 WOS:000302160000006
WOS:000302160000006; 2-s2.0-84859260923
114. J. Calvo Quintana, F. Arduini, A. Amine, K. van Velzen, G. Palleschi, D. Moscone
Analytical optimizations of a procedure for lead detection in milk by means of bismuth-modified screen-printed electrodes (part two)
Analitica Chimica Acta 736 (2012) 92– 99 DOI: 10.1016/j.aca.2012.05.042 WOS:000306616100011;
2-s2.0-84863475410
115. F. Lucarelli, F. Ricci, F. Caprio, F. Valgimigli, C. Scuffi, D. Moscone, G.Palleschi
GlucoMen Day Continuous Glucose Monitoring System: A Screening for Enzymatic and Electrochemical Interferents
Journal of Diabetes Science and Technology; 6 (2012) 1172-81. PubMed ID:23063044; NLM Unique ID:101306166; 2-s2.0-84868242469
116. V. Scognamiglio, I. Pezzotti; G. Pezzotti; J. Cano; I. Manfredonia; K. Buonasera; F. Arduini; D. Moscone; G. Palleschi; M. T. Giardi
Towards an integrated biosensor array for simultaneous and rapid multi-analysis of endocrine disrupting chemicals
Analitica Chimica Acta, 751 (2012) 161– 170 DOI: 10.1016/j.aca.2012.09.010;
WOS:000311013100019; 2-s2.0-84867746725
117. E. V. Suprun, F. Arduini, D. Moscone, G. Palleschi, V. V. Shumyantseva, A. I. Archakov
Direct electrochemistry of Heme Proteins on Electrodes Modified with Didodecyldimethyl Ammonium Bromide and Carbon Black *Electroanalysis*, 24 10 (2012) 1923–1931 DOI: 10.1002/elan.201200359;
WOS:000309404100005; 2-s2.0-84867090319

118. G. Volpe, U. Sozzo, S. Piermarini, E. Delibato, G. Palleschi, D. Moscone
Towards the development of a single-step immunosensor based on an electrochemical screen-printed electrode strip coupled with immunomagnetic beads
Analytical and Bioanalytical Chemistry 405 (2013) (2-3):655-663 WOS:000313650800017; 2-s2.0-84873704666
119. Fabiana Arduini, Simone Guidone, Aziz Amine, Giuseppe Palleschi, Danila Moscone
Acetylcholinesterase biosensor based on self-assembled monolayer-modified gold-screen printed electrodes for organophosphorus insecticide detection
Sensors & Actuators, B. 179 (2013) 201–208 DOI information: 10.1016/j.snb.2012.10.016
WOS:000316588100025 ; 2-s2.0-84880923270
120. M. Portaccio, D. Di Tuoro, F. Arduini, D. Moscone, M. Cammarota, D.G. Mita, M. Lepore
Laccase Biosensor Based On Screen-Printed Electrode Modified With Thionine-Carbon Black Nanocomposite For Bisphenol A Detection
Electrochimica Acta, 109 (2013)340-347 DOI: 10.1016/j.electacta.2013.07.129 ;
WOS:000328006300049; 2-s2.0-84881506841
121. Aziz Amine, Loubna El Harrad, Fabiana Arduini, Danila Moscone, Giuseppe Palleschi
Analytical aspects of enzyme reversible inhibition
Talanta, 118 (2014) 368-374 <http://dx.doi.org/10.1016/j.talanta.2013.10.025> WOS:000329553600048;
2-s2.0-84887793142
122. L. Camilli¹, C. Pisani¹, E. Gautron², M. Scarselli¹, P. Castrucci¹, F. D'Orazio³, V. Grossi³, M. Passacantando³, D. Moscone⁴, M. De Crescenzi¹
A three-dimensional carbon nanotube network for water treatment
Nanotechnology 25 (2014) 065701 (7pp) doi: 10.1088/0957-4484/25/6/065701
WOS:000330194800008; 2-s2.0-84892909703
123. S Cinti, S. Politi, D. Moscone, G. Palleschi, F. Arduini
Stripping analysis of As³⁺ by means of screen-printed electrodes modified with gold nanoparticles and carbon black nanocomposite
Electroanalysis, 26 (2014) 931–939 DOI: 10.1002/elan.201400041 WOS: 000335997600007; 2-s2.0-84900335354
124. A. De Stefano, G. Volpe, G. Adornetto, S. Bernardini, M. Nuccetelli, G. Gallucci, L. Ruvo, D. Moscone.
Development of a very sensitive ELIME assay for detection of sIgE to G5 and D2 aeroallergens in serum samples.
Electroanalysis, 26 (2014) 1382–1389, June 2014 DOI: 10.1002/elan.201300639
WOS:000337690700025; 2-s2.0-84901947946
125. D. Neagu; F. Arduini; J. Quintana Calvo; P. Di Cori; C. Forni; D. Moscone
Disposable Electrochemical Sensor to Evaluate the Phytoremediation of the Aquatic Plant *Lemna minor* L. toward Pb²⁺ and/or Cd²⁺
Environ. Sci. Technol. 48,13 (2014), 7477–7485 DOI: 10.1021/es500675x WOS:000338488700036;
2-s2.0-84903718145
126. M. Puiu, F. Ricci, A. Idili, D. Moscone and C. Balá
A modular electrochemical peptide-based sensor for antibody detection
Chem. Commun., 50 (2014) 8962-8965 DOI: 10.1039/C4CC02858A WOS:000339861700037;
2-s2.0-84904430317

127. S. Cinti, F. Arduini, D. Moscone, G.e Palleschi, Killard A.T.
 Development of a hydrogen peroxide sensor based on screen-printed electrodes modified with inkjet-printed Prussian blue nanoparticles
Sensors, 14, 8, (2014) 14222-14234 doi:[10.3390/s140814222](https://doi.org/10.3390/s140814222) WOS:000341499900043;
 2-s2.0-8490545735
128. S.Cinti, F.Arduini, G. Vellucci, I. Cacciotti, F. Nanni, D. Moscone,
 Carbon black assisted tailoring of Prussian Blue nanoparticles to tune sensitivity and detection limit towards H₂O₂ by using screen-printed electrode
Electrochemistry Communications 47 (2014) 63-66 doi:[10.1016/j.elecom.2014.07.018](https://doi.org/10.1016/j.elecom.2014.07.018)
 WOS:000342275000016; 2-s2.0-84906081796
129. F.Arduini; M. Forchielli; A. Amine; D. Neagu; I. Cacciotti; F. Nanni; G. Palleschi; D. Moscone
 Screen-printed biosensor modified with carbon black nanoparticles for the determination of paraoxon based on the inhibition of butyrylcholinesterase
Microchimica Acta 182 (2015) 3-4, 643-651 DOI: 10.1007/s00604-014-1370-y ;
 WOS:000348215900024; 2-s2.0-84921937041
130. F. Arduini, V. Scognamiglio, C. Covaia, A.Amine, D. Moscone and G. Palleschi
 A Choline Oxidase Amperometric Bioassay for the Detection of Mustard Agents Based on Screen-Printed Electrodes Modified with Prussian Blue Nanoparticles
Sensors, 15, (2015) 4353-4367 doi: [10.3390/s150204353](https://doi.org/10.3390/s150204353)
131. F. Arduini, C. Zanardi, S. Cinti, F. Terzi, D. Moscone, G. Palleschi, R. Seeber
 Effective electrochemical sensor based on screen-printed electrodes modified with a carbon black-Au nanoparticles composite
Sensors and Actuators B: Chemical, 212 (2015) 536-543 <http://dx.doi.org/10.1016/j.snb.2015.02.051>
132. F. Arduini , D.Neagu, V. Scognamiglio, S. Patarino, D. Moscone, G. Palleschi
 Automatable Flow System for Paraoxon Detection with an Embedded Screen-printed Electrode Tailored with Butyrylcholinesterase and Prussian Blue Nanoparticles
Chemosensors 3 (2015) 129-145 doi:[10.3390/chemosensors302](https://doi.org/10.3390/chemosensors302)
133. D. Talarico, F. Arduini, S. Cinti, A. Amine, D. Moscone and G. Palleschi
 Screen-Printed Electrode Modified with Carbon Black Nanoparticles for Phosphate Detection by Measuring the Electroactive Phosphomolybdate Complex
Talanta 141 (2015) 267-72. doi: 10.1016/j.talanta.2015.04.006. Epub 2015 Apr 10.
134. S Cinti, F Arduini, D Moscone, G Palleschi, T. Killard
 Cholesterol biosensor based on inkjet-printed Prussian blue nanoparticle-modified screen-printed electrodes
Sensors and Actuators B, 221 (2015) 187-190 doi:[10.1016/j.snb.2015.06.054](https://doi.org/10.1016/j.snb.2015.06.054)
135. D. Moscone; L Fabiani; G. Volpe; A. De Stefano; S. Martini; R. Nenna; F. Lucantoni; M. Bonamico; C. Tiberti; G. Adornetto
 An electrochemical immunoassay for the screening of celiac disease in saliva samples
Analytical and Bioanalytical Chemistry 407, 23 (2015) 7189-7196 DOI 10.1007/s00216-015-8884-y
136. Talarico, D., Arduini, F., Constantino, A., Del Carlo M., Compagnone D., Moscone, D., Palleschi, G.
 Carbon black as successful screen-printed electrode modifier for phenolic compound detection
Electrochemistry Communications 60 (2015) 78-82. <http://dx.doi.org/10.1016/j.elecom.2015.08.010>
137. Talarico, D., Cinti, S., Arduini, F., Amine, A., Moscone, D., & Palleschi, G.
 Phosphate Detection through a Cost-Effective Carbon Black Nanoparticle-Modified Screen-Printed Electrode Embedded in a Continuous Flow System.
Environmental Science & Technology, 49 (2015) 7934-7939.
<http://dx.doi.org/10.1016/j.elecom.2015.08.010>

138. Cinti, S., Arduini, F., Carbone, M., Sansone, L., Cacciotti, I., Moscone, D., Palleschi, G. Screen-Printed Electrodes Modified with Carbon Nanomaterials: A Comparison among Carbon Black, Carbon Nanotubes and Graphene
Electroanalysis 27, 9 (2015) 2230-2238 DOI: 10.1002/elan.201500168
139. S. Cinti, D. Neagu, M. Carbone, I. Cacciotti, D. Moscone, F. Arduini
Novel carbon black-cobalt phthalocyanine nanocomposite as sensing platform to detect organophosphorus pollutants at screen-printed electrode
Electrochimica Acta, 188 (2016) 574–581 <http://dx.doi.org/10.1016/j.electacta.2015.11.069>
140. F. Arduini, D. Neagu, V. Pagliarini, V. Scognamiglio, M. A. Leonardis, E. Gatto, A. Amine, G. Palleschi, D. Moscone
Rapid and label-free detection of ochratoxin A and aflatoxin B1 using an optical portable instrument
Talanta 150 (2016) 440–448 doi:10.1016/j.talanta.2015.12.048
141. A. Amine, F. Arduini, D. Moscone, G. Palleschi
Recent advances in biosensors based on enzyme inhibition
Biosensors and Bioelectronics, 76 (2016) 180-194
doi:10.1016/j.bios.2015.07.010
142. S. Cinti, F. Santella, D. Moscone, F. Arduini
Hg²⁺ detection using a disposable and miniaturized screen-printed electrode modified with nanocomposite carbon black and gold nanoparticles
Environmental Science and Pollution Research, Vol. 23 (2016) pag. 8192-8199
doi:10.1007/s11356-016-6118-2
143. S. Cinti; D. Talarico; D. Moscone; G. Palleschi
Novel reagentless paper-based screen-printed electrochemical sensor to detect phosphate
Analitica Chimica Acta, Vol. 919 (2016) pag. 78-84
[doi.org/10.1016/j.aca.2016.03.011](http://dx.doi.org/10.1016/j.aca.2016.03.011)
144. Stefano Cinti, Clarissa Minotti, Danila Moscone, Giuseppe Palleschi, Fabiana Arduini
Fully integrated ready-to-use paper-based electrochemical biosensor to detect nerve agents
Biosensors and Bioelectronics, (2016), In press
[doi.org/10.1016/j.bios.2016.10.091](http://dx.doi.org/10.1016/j.bios.2016.10.091)
145. Fabiana Arduini, Matteo Forchielli, Viviana Scognamiglio, Kozitsina Alisa Nikolaevna, Danila Moscone
Organophosphorous Pesticide Detection in Olive Oil by Using a Miniaturized, Easy-to-Use, and Cost-Effective Biosensor Combined with QuEChERS for Sample Clean-Up
Sensors, (2016), Vol. 17, pag.34
doi: 10.3390/s17010034
146. K. Petropoulos, S. Piermarini, S. Bernardini, G. Palleschi, D. Moscone
Development of a disposable biosensor for lactate monitoring in saliva
Sensors & Actuators B, Vol. 237 (2016) pag. 8-15
[doi.org/10.1016/j.snb.2016.06.068](http://dx.doi.org/10.1016/j.snb.2016.06.068)
147. D Moscone, G Volpe, F Arduini, L Micheli
Rapid electrochemical screening methods for food safety and quality
Acta Imeko, Vol. 5 (2016) 45-50
148. F. Arduini, L. Micheli, D. Moscone, G. Palleschi, S. Piermarini, F. Ricci, G. Volpe
Electrochemical biosensors based on nanomodified screen-printed electrodes: recent applications in clinical analysis
TrAC Trends in Analytical Chemistry, Vol. 79 (2016).114-126
doi:10.1016/j.trac.2016.01.032

149. Daria Talarico, Fabiana Arduini, Aziz Amine, Ilaria Cacciotti, Danila Moscone, Giuseppe Palleschi
Screen-printed electrode modified with carbon black and chitosan: a novel platform for acetylcholinesterase biosensor development
Analytical and Bioanalytical Chemistry, Volume 408 (2016), 7299–7309
DOI: 10.1007/s00216-016-9604-y
150. Arduini, F., Cinti, S., Scognamiglio, V., Moscone, D.
Nanomaterials in electrochemical biosensors for pesticide detection: advances and challenges in food analysis
Microchimica Acta, Vol.183 (2016) 2063-2083
DOI: 10.1007/s00604-016-1858-8
151. Noemi Colozza, Maria Flavia Gravina, Luca Amendolac, Modesto Rosati, Djamal Eddine Akretche, Danila Moscone, Fabiana Arduini.
A miniaturized bismuth-based sensor to evaluate the marine organism *Styela plicata* bioremediation capacity toward heavy metal polluted seawater.
Science of The Total Environment, Vol. 584-585 (2017) 692-700
<http://dx.doi.org/10.1016/j.scitotenv.2017.01.099>
152. Stefano Cinti, Mattia Basso, Danila Moscone, Fabiana Arduini.
A paper-based nanomodified electrochemical biosensor for ethanol detection in beers.
Analytica Chimica Acta, Vol. 960 (2017) 123-130
<http://dx.doi.org/10.1016/j.aca.2017.01.010>
153. Fabiana Arduini, Stefano Cinti, Viviana Scognamiglio, Danila Moscone, Giuseppe Palleschi
How cutting-edge technologies impact the design of electrochemical (bio) sensors for environmental analysis. A review
Analytica Chimica Acta, Vol. 959 (2017) 15–42
<http://dx.doi.org/10.1016/j.aca.2016.12.035>
154. Arduini, F., Forchielli, M., Scognamiglio, V., Nikolaevna, K.A , Moscone, D.
Organophosphorous pesticide detection in olive oil by using a miniaturized, easy-to-use, and cost-effective biosensor combined with quechers for sample clean-up
Sensors, 17 (1), (2017) art. no. 34, .
DOI: 10.3390/s17010034
155. Cinti, S., Minotti, C., Moscone, D., Palleschi, G., Arduini, F.
Fully integrated ready-to-use paper-based electrochemical biosensor to detect nerve agents
Biosensors and Bioelectronics, 93, (2017) 46-51.
DOI: 10.1016/j.bios.2016.10.091
156. Cinti, S., De Lellis, B., Moscone, D., Arduini, F.
Sustainable monitoring of Zn(II) in biological fluids using office paper
Sensors and Actuators, B: Chemical 253 (2017) 1199-1206
157. Arduini, F., Cinti, S., Scognamiglio, V., Moscone, D., Palleschi, G.
How cutting-edge technologies impact the design of electrochemical (bio)sensors for environmental analysis. A review
Analytica Chimica Acta, 959 (2017) 15-42
158. Cinti, S., Basso, M., Moscone, D., Arduini, F.
A paper-based nanomodified electrochemical biosensor for ethanol detection in beers
Analytica Chimica Acta 960 (2017) 123-130
159. Colozza, N., Gravina, M.F., Amendola, L., (...), Moscone, D., Arduini, F.
A miniaturized bismuth-based sensor to evaluate the marine organism *Styela plicata* bioremediation capacity toward heavy metal polluted seawater
Science of the Total Environment 584-585 (2017) pp. 692-700

160. Cinti, S., Mazzaracchio, V., Cacciotti, I., Moscone, D., Arduini, F.
Carbon black-modified electrodes screen-printed onto paper towel, waxed paper and parafilm
Sensors, 17 (2017) 2267. <http://doi.org/10.3390/s17102267>
161. Antonacci, A., Arduini, F., Moscone, D., Palleschi, G., Scognamiglio, V.
Nanostructured (Bio)sensors for smart agriculture
TrAC - Trends in Analytical Chemistry 98 (2018) 95-103
162. Cinti, S., Fiore, L., Massoud, R., (...), Palleschi, G., Arduini, F.
Low-cost and reagent-free paper-based device to detect chloride ions in serum and sweat
Talanta 179 (2018) 186-192
163. Antonacci, A., Lambreva, M.D., Arduini, F., (...), Palleschi, G., Scognamiglio, V.
A whole cell optical bioassay for the detection of chemical warfare mustard agent simulants
Sensors and Actuators, B: Chemical 257 (2018) 658-665
164. Scordo, G., Moscone, D., Palleschi, G., Arduini, F.
A reagent-free paper-based sensor embedded in a 3D printing device for cholinesterase activity measurement in serum
Sensors and Actuators, B: Chemical 258 (2018) 1015-1021
165. Cinti, S., Colozza, N., Cacciotti, I., Moscone, D., Polomoshnov, M., Sowade, E., & Arduini, F.
Electroanalysis moves towards paper-based printed electronics: carbon black nanomodified inkjet-printed sensor for ascorbic acid detection as a case study.
Sensors and Actuators B: Chemical, 265 (2018) 155-160.
166. S Cinti, V Mazzaracchio, G Öztürk, D Moscone, F Arduini
A lab-on-a-tip approach to make electroanalysis user-friendly and de-centralized: Detection of copper ions in river water
Analytica Chimica Acta 1029 (2018) 1-7
167. MR Tomei, F Arduini, D Neagu, D Moscone
Carbon black-based disposable sensor for an on-site detection of free chlorine in swimming pool water
Talanta 189, (2018) 262-267
168. S Cinti, N Colozza, I Cacciotti, D Moscone, M Polomoshnov, E Sowade
Electroanalysis moves towards paper-based printed electronics: carbon black nanomodified inkjet-printed sensor for ascorbic acid detection as a case study
Sensors and Actuators B: Chemical 265 (2018) 155-160
169. S Cinti, R Cusenza, D Moscone, F Arduini
Paper-based synthesis of Prussian Blue Nanoparticles for the development of whole blood glucose electrochemical biosensor
Talanta 187 (2018) 59-64
170. A Amine, S Cinti, F Arduini, D Moscone, G Palleschi
How to extend range linearity in enzyme inhibition-based biosensing assays
Talanta 189 (2018) 365-369
171. S Cinti, E Proietti, F Casotto, D Moscone, F Arduini
Paper-Based Strips for the Electrochemical Detection of Single and Double Stranded DNA
Analytical Chemistry 90 (2018) 13680-13686. doi: 10.1021/acs.analchem.8b04052.
172. V Mazzaracchio, D Neagu, A Porchetta, E Marcoccio, A Pomponi, G Faggioni, N D'Amore, A Notargiacomo, ML Pea, D Moscone, G Palleschi, F Lista, F Arduini...
A label-free impedimetric aptasensor for the detection of Bacillus anthracis spore simulant
Biosensors and Bioelectronics 126 (2019) 640-646 <https://doi.org/10.1016/j.bios.2018.11.017>

173. F Arduini, S Cinti, V Caratelli, L Amendola, G Palleschi, D Moscone
Origami multiple paper-based electrochemical biosensors for pesticide detection
Biosensors and Bioelectronics 126 (2019) 346-354
174. V. Scognamiglio, A. Antonacci^a F. Arduini, D. Moscone^a E.V.R.Campos, L.F.Fraceto, G. Palleschi^b
An eco-designed paper-based algal biosensor for nanoformulated herbicide optical detection
Journal of Hazardous Materials 373, (2019) 483-492 <https://doi.org/10.1016/j.jhazmat.2019.03.082>
175. N. Colozza, K. Kehe, G. Dionisi, T. Popp^a A. Tsoutsoulopoulos, D. Steinritz, D. Moscone, F. Arduini
A wearable origami-like paper-based electrochemical biosensor for sulfur mustard detection
Biosensors and Bioelectronics 129, (2019) 15-23 <https://doi.org/10.1016/j.bios.2019.01.002>
176. M.R.Tomei, S. Cinti, N.Interino, V. Manovella, D.Moscone, F.Arduini
Paper-based electroanalytical strip for user-friendly blood glutathione detection
Sensors and Actuators B: Chemical, In Press, Corrected Proof, Available online 19 February 2019
<https://doi.org/10.1016/j.snb.2019.02.082>
177. Bagheri, N.. Cinti, S.. Caratelli, V.. Moscone, D.. Arduini, F
A 96-well wax printed Prussian Blue paper for the visual determination of cholinesterase activity in human serum
Biosensors and Bioelectronics 134, (2019) 97-102
[https://doi.org/10.1016/j.bios.2019.03.037.](https://doi.org/10.1016/j.bios.2019.03.037)
178. M. R. Tomei, F. Arduini, D. Neagu, D. Moscone,
Carbon black-based disposable sensor for an on-site detection of free chlorine in swimming pool water
Talanta, 189 (2018) 262-267,
<https://doi.org/10.1016/j.talanta.2018.07.005>
179. .

Papers on National Journals:

- 1) M. Mascini, G. Palleschi, D. Moscone
Accoppiamento di sistemi enzimatici con elettrodi specifici.
Cosmetic News 31, (1983) 270
- 2) M. Mascini, G. Palleschi, D. Moscone
Enzimi immobilizzati su reti di nylon per ottenere dei "Supersensori". I, Sensori con un solo enzima immobilizzato.
Rass. Chim. 1, (1984) 3-9
- 3) M. Mascini, G. Palleschi, D. Moscone
Enzimi immobilizzati su reti di nylon per ottenere dei "Supersensori". II, Sensori con due enzimi immobilizzati.
Rass. Chim. 2, (1984) 75
- 4) M. Mascini, S. Fortunati, D. Moscone, G. Palleschi
Determinazione di proteine con un sistema a flusso continuo ed enzimi immobilizzati.
Rass. Chim. 4, (1984) 193
- 5) M. Mascini, D. Moscone, G. Palleschi
Elettrodi ad enzimi, a batteri, ad anticorpi ed a tessuti viventi. Applicazioni per la Chimica Clinica e la Biologia.
Biochimica Clinica 8, 1984 pag. 2271
- 6) M. Mascini, M. Moscone, R. Pilloton
Pyruvate and Lactate Electrochemical Sensor Realised with Immobilised Enzymes for control in Artificial Pancreas.
Annali di Chimica, 77 (1987) 813-824.
- 7) D. Moscone
Microdialisi e Biosensori
Biochimica Clinica, 18-3 (1994) 227-231
- 8) E. Marconi, R.A. Bernardo, D. Moscone and G. Palleschi
Determinazione rapida e on line del lattulosio nel latte mediante un reattore a B-galattosidasi ed un biosensore a fruttosio
Scienza e Tecnica Lattiero-Casearia, 50-2 (1999) 105-114
- 9) G. Palleschi, D. Compagnone, D. Moscone, G. Isoldi, M. Pallini, G. Volpe, M. Esti, E. Marconi
Biosensori elettrochimici per applicazioni analitiche nel settore lattiero-caseario
Scienza e Tecnica Lattiero-Casearia, 51-3 (2000) 164-180
- 10) Palleschi, G.; Compagnone, D.; Moscone, D.; Volpe, G
Utilization of biosensors in food quality controls
Rivista di Scienza dell'Alimentazione ISSN0391-4887 Vol. 30(suppl.3) (2000) 67-73

PATENTS:

- 1) M. Mascini, D. Moscone, G. Palleschi
Procedimento e metodo di misura dello ione lattato in liquidi biologici in vivo e in vitro.
Brevetto. Deposito n. 48397A/85 del 24.7.1985
- 2) G. Palleschi, F. Ricci, D. Moscone, A. Poscia
Process for the preparation of modified electrodes, electrodes prepared with said process, and enzymatic biosensors comprising said electrodes.
European patent n. 07122884.5-1227, date 11-04-08
US Patent No: 8,309,362, date 13-11-2012
- 3) G. Adornetto, G. Volpe, S. Laschi, D. Moscone.
Metodo per la diagnosi ed il monitoraggio della celiachia su campioni di saliva (Methods for the diagnosis and monitoring of Celiac Disease in Saliva Samples).
Italian Patent n. 0001424426, application date 17/06/2014.

VIDEO:

- 1) M. Mascini, D. Moscone
Biosensori Elettrochimici, (1993)
- 2) Romanazzo D, Ricci F, Vesco S, Piermarini S, Volpe G, Moscone D, Palleschi G (2009).
ELIME (Enzyme Linked Immuno Magnetic Electrochemical) Method for Mycotoxin Detection. JoVE. 32. <http://www.jove.com/index/details.stp?id=1588>, doi: 10.3791/1588

